

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20020023128").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 10:59
S2	11	((("5987503") or ("6345290") or ("6370563") or ("6393461") or ("6417819")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23 06:55
S3	5	((("5987503") or ("6345290") or ("6370563") or ("6393461") or ("6417819")).PN.	USPAT; USOCR	OR	OFF	2004/04/23 06:58
S4	1	("20020073154").PN.	US-PGPUB; USOCR	OR	OFF	2004/04/23 06:58
S5	19485057	@ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:20
S6	3	"6370563".URPN.	USPAT	OR	ON	2004/04/23 07:48
S7	4192	(@ad <= "20000821") and ((709/206, 217,218,227,230).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 08:02
S8	5	("5694549"   "5737011"   "5764916"   "5793365"   "5905476").PN.	USPAT	OR	ON	2004/04/23 08:02
S9	206	((@ad <= "20000821") and ((709/206,217,218,227,230).CCLS.)) and chat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 11:00
S10	21	((@ad <= "20000821") and ((709/206,217,218,227,230).CCLS.)) and chat.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 08:04
S11	13	((@ad <= "20000821") and ((709/206,217,218,227,230).CCLS.)) and chat and (multiple with (username or id or alias))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 08:07

S12	0	((@ad <= "20000821") and ((709/206,217,218,227,230).CCLS.)) and chat and (multiple with (username or id or alias) with ((chat adj room) or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 08:07
S13	49	(@ad <= "20000821") and chat and ((username or id or alias) with ((chat adj room) or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 08:58
S14	1	(@ad <= "20000821") and chat and (multiple with (username or id or alias) with ((chat adj room) or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 08:08
S15	5	trillian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:11
S16	3054	irc or (internet adj relay adj chat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:14
S17	2311	(irc or (internet adj relay adj chat)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:15
S18	7957	(709/206,217,218,227,230).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23 09:12
S19	50	((irc or (internet adj relay adj chat)) and @ad <= "20000821") and ((709/206,217,218,227,230).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:12
S20	351	(irc or (internet adj relay adj chat)). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:14
S21	199	((irc or (internet adj relay adj chat)). ab.) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:15

S22	3	((709/206,217,218,227,230).CCLS.) and (((irc or (internet adj relay adj chat)).ab.) and @ad <= "20000821")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:15
S23	2	chat and ( (multiple or different or plurality) with (username or id or alias) with ((chat adj room) or channel)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:49
S24	235	chat and ((multiple or different or plurality) with (username or id or identification or alias)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/23 09:49
S25	11	(chat and authenticat\$4).ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:26
S26	3	("6393461").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 16:14
S27	1	(chat and policy).ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:14
S28	241	(chat or (instant adj message)).ab. and (policy or block\$4) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:32
S29	0	(chat or (instant adj message)).ab. and (policy with block\$4) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:32
S30	13	(chat or (instant adj message)).ab. and (policy) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:32
S31	0	(different with (name or username or alias or id or identification) with (chat near2 room)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:03

S32	2	different with (name or username or alias or id or identification) with (chat near2 room)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:51
S33	146	(name or username or alias or id or identification) with (chat near2 room)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:58
S34	44	((name or username or alias or id or identification) with (chat near2 room)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:51
S35	101150	(name or username or alias or id or identification) with (different or multiple or plurality or "one or more" or "more than one")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:59
S36	101147	(name or username or alias or id or identification) with (different or multiple or plurality or "more than one")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:03
S37	101147	(name or username or alias or id or identification) with (different or multiple or plurality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:03
S38	30	(name or username or alias or id or identification) with (different or multiple or plurality) with chat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:03
S39	4	((name or username or alias or id or identification) with (different or multiple or plurality) with chat) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:03
S40	0	(username or alias) with stored with server with chat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:00
S41	1	(username or alias) with stored with chat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:01

S42	0	(username or alias) with (database) with chat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:01
S43	45	(username or alias or id or identi\$5) with (database) with chat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:01
S44	166	(user or name or alias or id or identi\$5) with (database) with chat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:01
S45	37	((user or name or alias or id or identi\$5) with (database) with chat) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:02
S46	2554	chat with (user or name or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 10:11
S47	802	(chat with (user or name or id)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 10:12
S48	483	chat with (username or name or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 10:12
S49	148	(chat with (username or name or id)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 10:12
S50	51	chat with (username or name or id) with (set or setting or storing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 10:12
S51	26	(chat with (username or name or id) with (set or setting or storing)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 12:54

S52	12	chat and (user with (set or change or input) with (username or alias)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 14:47
S53	704	chat.ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 15:08
S54	1	(chat.ab. and @ad <= "20000821") and (user with account with set\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 15:05
S55	72	(chat.ab. and @ad <= "20000821") and (user with set\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 15:05
S56	1	(chat.ab. and @ad <= "20000821") and (user with (username or alias) with set\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 15:07
S57	5	(chat.ab. and @ad <= "20000821") and (user with new with set\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 15:08
S58	2701	chat and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 15:08
S59	39	(chat and @ad <= "20000821") and ((user near2 new) with set\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 15:09
S60	427	(chat) with (username or name or password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 11:00
S61	123	((chat) with (username or name or password)) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 11:00

S62	324	(chat adj room).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 10:20
S63	102	S62 and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:43
S64	1129	((id or identifier) and (username or nickname) ) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:44
S65	854	((id or identifier) and (username or nickname) and table ) and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:44
S66	5	((id or identifier) and (username or nickname) and table ).ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:45
S67	0	((id or identifier) with (username or nickname) with table with server).ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:46
S68	5	((id or identifier) with (username or nickname) with table ).ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:50
S69	3	((id or identifier) with (username or nickname) with server).ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:46
S70	6	("5664126"   "5893126"   "5943049"   "5956038"   "6229533").PN. OR ("6434604").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 11:48
S71	1	((id or identifier) with (username or nickname) with database ).ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:51

S72	4	((username or nickname) with database ).ab. and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:51
S73	0	((username or nickname) with database ) and authentication and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:51
S77	267	chat and authentication and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:52
S78	1	("6434604").URPN.	USPAT	OR	ON	2004/11/12 18:07
S79	68	("5021976"   "5423554"   "5515078"   "5559995"   "5587936"   "5588104"   "5588139"   "5633993"   "5644993"   "5679075"   "5684943"   "5696892"   "5704837"   "5732232"   "5736982"   "5755620"   "5784570"   "5793382"   "5815156"   "5827120"   "5846134"   "5852672"   "5874956"   "5880731"   "5884029"   "5903395"   "5903396"   "5907328"   "5913727"   "5919045"   "5926179"   "5926400"   "5947823"   "5951015"   "5956038"   "5966129"   "5966130"   "5980256"   "5982372"   "5982390"   "5983003"   "5999641"   "5999944"   "6001065"   "6009458"   "6009460"   "6011558"   "6014136"   "6014142"   "6020885"   "6020891"   "6023270"   "6024643"   "6028584"   "6031549"   "6034692"   "6040841"   "6040842"   "6052114"   "6054991"   "6055563"   "6057810"   "6057828"   "6057856"   "6072466"   "6072478"   "6073115"   "6434604").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 18:08
S80	7	("5257306"   "5347306"   "5491743"   "5572248"   "5613056"   "5617539"   "5682469").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 18:21
S81	1838	(user or name or username or nickname) with password with (table or database) with (id or identif\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 18:21
S82	844	(user or name or username or nickname) with password with (table or database) with (id or identif\$6) same server	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 18:22
S83	538	(user or name or username or nickname) with password with (table or database) with (id or identif\$6) with server	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 18:25



S84	154	S83 and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 18:25
S85	126	(name) with password with (table or database) with (username or user-id or id or identif\$6) with server	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 18:25
S86	40	S85 and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 18:26
S87	33	S86 and (chat or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 18:27
S88	3	S86 and (chat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 18:27
S89	2354	(chat and server an authentication).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:20
S90	27960	(chat and server an authentication).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:21
S91	17	(chat and server and authentication).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:21
S92	3	S91 and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:21
S93	752	(chat and server).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:21

S94	3	S92 and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:21
S95	282	S93 and @ad <= "20000821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:22